



```
21083 Mar 21 2021 2bulk_certs.inc.php
25896 Mar 29 18:51 bulk_certs.inc.php
1348 Jan 8 09:59 doc_merge.js
22908 Jan 8 09:55 doc_merge.php
```

```
# steve316 3/23/21 - add support for additional classes, attributes, and alternate prompts for param form items
# steve184 3/31/21 - change get settings to after we get the default param values
# steve160 3/31/21 - change get settings to after we get the default param values
# steve332 1/8/22 - changed buyer to use AQ lookup

// title: doc_merge.php core functions
// desc: In order to use this:
//     1. Create an include file where you declare functions that are called from this file.
//     2. Call specific functions declared here with expected values.
//
// In your include file, you need to defined these functions:
// (see bulk_certs.inc.php as an example)
// - [i_doc_prefix]_get_form_params($i_params, $i_action)
//     Identifies the parameters shown to the user
//     $i_action = 'create' when creating a new record
// - [i_doc_prefix]_settings($i_params)
//     Returns custom setting values needed by doc_merge
// - [i_doc_prefix]_get_default_param_values($i_params,$i_mode)
//     Adds values to the params (input data) that are needed downstream
//     This gets called before any input has been entered AND also after the form has been submitted.
//     Be careful not to wipe out any input and only add missing or extra needed data.
//     $i_mode = 'preview' when in preview mode
// returns: Returns an array with 3 values:
//         1. The string 'error' or 'success'
//         2. The resulting message
//         3. The params
// - [i_doc_prefix]_top_message($i_params)
//     Returns a custom message that is shown on the top of the form in preview mode
// - [i_doc_prefix]_validate($i_params)
//     Given input parameters, does validation. This is called on preview and confirm.
// returns: Returns an array with 2 values:
//         1. The string 'error', 'warning', 'success'
//         2. The error or warning message if there is one
// - [i_doc_prefix]_map_params_to_pdf_fields($i_params)
//     Given input params, returns all the data needed for the pdf merge
// - [i_doc_prefix]_get_current_record($i_params)
//     Given a row_id, query the existing record
//     Return the params array with the row data.
//     Expected values returned include: row_id, document_row_id
// - [i_doc_prefix]_create($i_params)
//     Given input params, create a new record
// returns: Returns an array with 2 values:
//         1. The string 'error' or 'success'
//         2. The resulting message
// - [i_doc_prefix]_update($i_params)
//     Give input parmas, updates the existing record
//     $i_params['row_id'] will be set
// returns: Returns an array with 2 values:
//         1. The string 'error' or 'success'
//         2. The resulting message
//
// Functions you call to interact with doc_merge:
// - docm_get_create_form($i_doc_prefix, $i_params)
//     Given input params, returns an HTML form used to create a new pdf
// - docm_get_update_form($i_doc_prefix, $i_params) {
//     Given input params, returns HTML form for updating existing pdf
// - docm_preview_pdf($i_doc_prefix, $i_params) {
//     Given input params, returns HTML after user has clicked on 'Preview'
```

```
// - docm_confirm_pdf($i_doc_prefix, $i_params) {
//     Given input params, returns HTML result from creating or updating pdf
//
```